

NEW JERSEY SMALL BUSINESS ENVIRONMENTAL ASSISTANCE PROGRAM

New Jersey Fuel Dispensing Facilities Compliance Calendar 2016

Welcome

The New Jersey Small Business Environmental Assistance Program developed this guidance document to help Fuel Dispensing Facilities comply with regulatory requirements for the transfer of fuel. We hope that you find this compliance calendar to be a helpful tool for your daily, weekly, monthly and annual record keeping obligations. Please feel free to contact us with any questions or comments regarding this compliance calendar.

Keep yourself informed of EPA revised UST technical regulation in 40 CFR part 280 by:

Adding secondary containment requirements for new and replaced tanks and piping

Adding operator training requirements for UST system owners and operators

Adding periodic operation and maintenance requirements for UST systems

Removing certain deferrals

Adding new release prevention and detection technologies

Complete Underground Storage Tanks (USTs) rules are available in the U.S. Code, Title 42, Chapter 82, Subchapter IX. Go to: http://www.epa.gov/oust/fedlaws/index.htm and for additional information use the link: http://www.epa.gov/oust/fedlaws/cfr.htm

Important Notes:

The New Jersey Fuel Dispensing Facilities Compliance Calendar may only be available as a download at: http://www.nj.gov/dep/aqes/sbap/index.html.

New Jersey Small Business Environmental Assistance Program New Jersey Department of Environmental Protection PO Box 420 Trenton, NJ 08625-0420 Phone (877) 753-1151 or (609) 633-0631 Fax (609) 777-1330 This page has been intentionally left blank

Table of Contents

Facility Information:	1
Facility Information:	1
Best Management Practices (BMP) & Complying with NJDEP Regulations	2
Air Permitting Requirements for Fueling Stations	3
All Fueling Stations Require a Valid Air Permit	
Transferring Ownership of a Gasoline Station Facility	
Vapor Recovery Equipment/Control Device Specifications	
Stage I:	
Vapor Recovery Equipment/Control Device Specifications	5
Vapor Recovery Equipment/Control Device Specifications	6
Stage II:	
Vapor Recovery Equipment Record Keeping	
Equipment Change Log for 2016	7
Vapor Recovery Equipment Testing	8
Vapor Recovery Equipment Testing Log	
Fueling Stations Record Keeping	9
Vapor and Liquid Leaks and Equipment Repair Record Keeping	9
Environmental Contact Information	37
Internet Resources	38
Community Right to Know Surveys Go Electronic	39
STEP 1: Requesting Access (New Users - are users who do not already have a NJDEP Online account or ID)	39
STEP 2: Link Your NJDEP Online Services to Your myNewJersey Account	39
STEP 3: Use NJDEP Online	39

Facility Informat	ion:			
Owner Name:	Bu	usiness Telephone:		
Company Name:	Fa	acility ID #		
Facility Address:	In	stallation Date:		
	St	age II Vapor Recovery Syst	tem: Vapor Balance (or)	☐ Vacuum Assist
	Contents (Gasoline, and/or E85, Di	iesel, or Kerosene)	Tank Capac	rity
Tank 1:				
Tank 2:				
Tank 3:				
Tank 4:				

Instructions for Use

This compliance calendar has been developed to help gas stations comply with record keeping required by the Air General Permit for the NJ Vapor Recovery Program for Gasoline Dispensing Facilities (GP-004) and Fuel Dispensing Facilities (GP-004A). Please review your facility's air permit compliance plan for all conditions, requirements and submissions.

This document does not replace or supercede N.J.A.C. 7:27-16 et seq. GP-004 or GP-004A. If there are any discrepancies between this compliance calendar and your existing permit requirements or other New Jersey regulations, the permits and regulations take precedence. For more information on general permits and air regulations please visit www.nj.gov/dep/aqpp/.

Additionally, gas stations with underground storage tanks (UST) must comply with UST regulations. This compliance calendar provides limited guidance on the transfer of fuel into an UST, but it is not intended as a compliance assistance tool for other UST regulations. Release detection, corrosion protection, installation, closure, site remediation and other UST regulations are not components of this compliance calendar. For more information on UST regulations please visit http://www.nj.gov/dep/srp/regs/

Please report any errors or inconsistencies in this compliance calendar to the Small Business Assistance Program at (609) 292-8601 or (877) 753-1151

1

Best Management Practices (BMP) & Complying with NJDEP Regulations

Do Not Top-Off: Topping-off may result in a liquid blockage decreasing vapor control effectiveness and subsequent fines.

Liquid Extractors Must Be Used: if the hose hangs more than 10 inches from bottom of the nozzle when hanging in the holster.

Remove Pump Covers: When checking for leaks on a daily basis, remove the pump covers.

Equipment Replacements Must Be Compatible: When replacing individual components of a vapor recovery system, refer to the CARB EO for compatibility with the current system.

Must have a current and valid UST registration and Financial Responsibility (Tank Insurance).

Must have Important Documents On Site: NJ DEP Air Certificate, Vapor Recovery Inspection Logs, CARB EOs, Vapor Recovery Equipment Testing Results, Equipment Change Logs, Release Response Plan, UST Registrations, and current Financial Responsibility (aka: Tank Insurance).

Keep Spill Buckets Clean: Spill catchment basins must be clear of fuel, water and debris otherwise fuel deliveries must be refused. Monitor the fuel delivery. The transfer operation is monitored constantly to avoid spilling and overfilling.

Test Release Detection System: Is your release detection equipment working properly? Run a quick "self-test" of the ATG to verify it's working properly. Check your manual dipstick to make sure it's not warped or worn. Have a passing release detection test every 30 days. Maintain the release detection system according to manufacturer's specifications.

Retractors: Must work properly otherwise they are not in compliance with CARB Executive Order (EO).

Overfill Protection options: Do you have an alarm? (if you have one): Is your overfill alarm outside, easily seen or heard and working? Or do you have flow restrictors or flapper values? Be sure they are functioning properly.

Cathodic Protection System (if you have one): Is your cathodic protection system turned on? For impressed current check your rectifier at least every 60 days and keep a record. Test your cathodic protection every 3 years. If your cathodic protection fails, you need to repair and apply for a Substantial Modification Permit. The sub mod permit can be found at http://www.nj.gov/dep/srp/forms/ust/

Fill and Monitoring Ports: Are covers and caps tightly sealed and locked? Are you checking the fillports before and after a delivery ensuring that no product, water, or debris exist in the ports? Do you keep records? All fill ports must be permanently marked to identify the product inside the tank system.

Spill and Overfill Response Supplies: Do you have the appropriate supplies for cleaning up a spill or overfill?

Dispenser Hoses, Nozzles, and Breakaways: Are they in good condition and working properly? Do you check them daily for any damage such as tears or leaks? Keep daily records. Keep records for repairs.

Dispenser Sumps & Piping/Turbine Sumps: Any signs of leaking? Are the sumps clean and empty? Keep monthly records for the piping/turbine sumps.

If you find any problems during a self-inspection,

You or your equipment contractor must take action quickly to resolve the problems and avoid serious releases

Air Permitting Requirements for Fueling Stations

All Fueling Stations Require a Valid Air Permit

(Note: A New General Air Permit "GP-004A" has been adopted on 5/13/2013 replacing GP-004 and GP-014)

<u>GP-014</u>: General Permit - 014 (GP-014) may be used for one or more storage tanks and equipment used for storing and transferring gasoline, diesel fuel, and/or kerosene located at the following: (When GP-014 expires, GP-014 will not be able to be renewed, apply for GP-004A).

Marinas with individual gasoline storage tanks equal to or greater than 2,000 gallons maximum capacity equipped with Stage I Vapor Control.

Facilities with individual gasoline storage tanks equal to or greater than 2,000 gallons maximum capacity equipped with Stage I Vapor Control and were constructed prior to June 29, 2003. The facility must not have, and has never had, for any 12-month period subsequent to February 6, 1989, an average monthly throughput of greater than 10,000 gallons (37,850 liters).

NOTE: Storage, transfer and dispensing of diesel fuel and kerosene may be included in this General Permit but does not require Stage I Controls. www.nj.gov/dep/aqpp/gp.html (When GP-014 expires, GP-014 will not be able to be renewed, apply for GP-004A).

<u>GP-004</u>: General Permit - 004 (GP-004) may be used for one or more pieces of equipment used for storing and dispensing service station fuels at a single gasoline dispensing facility (GDF) which has a maximum fuel throughput of 6 million gallons per 12-month period. GDFs with regulated tanks and gasoline dispensing equipment must comply with Stage I and Stage II vapor recovery requirements. (When GP-004 expires, GP-004 will not be able to be renewed, apply for GP-004A).

www.nj.gov/dep/aqpp/gp.html (When GP-004 expires, GP-004 will not be able to be renewed, apply for GP-004A).

GP-004A: GP-004A is available, GP-004 and GP-014 cannot be renewed. GP-004A has the following permitting options:

Marina gasoline storage tank(s) with a Stage I Vapor Control System; or

Airport gasoline storage tank(s) with a Stage I Vapor Control System; or

10,000 gallons or less of monthly throughput for gasoline storage tank(s) with a Stage I Vapor Control System; or

9 million gallons or less of annual throughput for gasoline storage tank(s) & dispensing equipment with Stage I & II Vapor Control Systems; or

15 million gallons or less of annual throughput for gasoline storage tank(s) & dispensing equipment with Stage I & II Vapor Control Systems with an additional vapor recovery system control

COST: \$820 www.nj.gov/dep/aqpp/gp.html.

<u>Pre-Construction Permit</u> (PCP): Fueling stations can obtain a PCP if they want a fuel throughput limit which exceeds the limit of a general permit or if the facility is ineligible for a general permit.

COST: \$2527 for gasoline tank + \$590 for each additional piece + \$2527 Risk Assessment fee.

Note:

Stage I vapor recovery equipment must comply with NJAC 7:27-16.3 on all regulated gasoline tanks at the facility.

Stage II vapor recovery equipment must comply with NJAC 7:27-16.3 on all regulated gasoline dispensing equipment at the facility.

Transferring Ownership of a Gasoline Station Facility

Within 120 days after the sale of a gasoline station facility a Non-Technical Amendment must be submitted to the NJDEP to transfer the ownership of any air permits.

cost: \$173 (the form can be downloaded at: www.nj.gov/dep/aqpp/applying.html)

Vapor Recovery Equipment/Control Device Specifications

Stage I:

Transfer of gasoline and/or E85 from any delivery vessel into any stationary storage tank having a maximum capacity of 2,000 gallons or greater shall occur only if such storage tank is equipped with and operating the following emission controls:

A permanently affixed submerged fill pipe or bottom fill pipe.

A vapor control system that reduces the total applicable VOC emissions into the outdoor atmosphere by no less than 98 % of the applicable VOC by volume in the air vapor mixture displaced during the transfer of gasoline; and

A pressure/vacuum relief valve on each atmospheric vent which remains closed during the gasoline transfer; or

A floating roof tank.

Requirements for Gasoline Storage Tanks: GDF which commenced on or before June 29, 2003 shall keep a facility monthly throughput of less than 10,000 gallons in any month requires only stage I.

GDF, the Permittee must minimize spills, clean up spills expeditiously; cover gasoline containers and storage tanks fill pipes with gaskets seal and minimize gasoline sent to open collection systems.

Above ground fuel storage tank(s) exposed to the sun's rays must be painted white. Visually inspect every 6 months.

All hoses, piping, connections, fittings and manholes shall be tight and leak free, except when gauging or sampling is performed.

The dispensing devices, associated hoses, and nozzles shall be maintained according to manufacturer's specifications. Inspect the dispensing devices daily for liquid or vapor leaks.

New & replaced tanks constructed on or after May 13, 2013 must be equipped with a dual point (no coaxial) vapor recovery system.

Vapor Recovery Equipment/Control Device Specifications

Stage I: Continued

The pressure/vacuum relief valves on each atmospheric vent shall remains closed during transfer operations except when the positive cracking pressure is exceeded. The specifications of the system shall be: Positive pressure setting of 3.0 ± 0.5 inches water column Negative pressure setting of 8.0 ± 0.5 inches water Column.

GDF constructed on or before November 9, 2006, the transfer of gasoline to the storage tank shall be made through a submerge fill pipe permanently affixed to the tank and with a discharge that is no more than 12 inches for pipes.

GDF constructed after November 9, 2006, the transfer of gasoline to the storage tank shall be made through a submerge fill pipe permanently affixed to the tank and with a discharge that is no more than 6 inches for pipes.

GDF with monthly throughput >100,000 gallons of gasoline and or E-85, the vapor recovery and product adoptors and the method of connection with the delivery elbow, shall be designed so as to prevent the over tightening or loosening of fittings during normal delivery operation.

GDF with monthly throughput >100,000 gallons of gasoline and or E-85, the vapors line from the gasoline storage tank to the gasoline cargo shall be vapor tight.

GDF with a monthly throughput >100,000 gallons of gasoline and or E-85, all vapor connections and lines on the storage tank shall be equipped with closures that seal upon disconnect.

GDF with a monthly throughput >100,000 gallons of gasoline and or E-85, Liquid fill connections for all systems shall be equipped with vapor-tight caps.

For GDF with a monthly throughput >100,000 gallons of gasoline and or E-85, Pressure/vacuum (PV) vent valves shall be installed on the storage tank vent pipes. The pressure specifications for PV vent valves shall be: a positive pressure setting of 2.5 to 6.0 inches of water and a negative pressure setting of 6.0 to 10.0 inches of water. The total leak rate of all PV vent valves at an affected facility, including connections, shall not exceed 0.17 cubic foot per hour at a pressure of 2.0 inches of water and 0.63 cubic foot per hour at a vacuum of 4 inches of water.

GDF with a monthly throughput >100,000 gallons of gasoline and or E-85, must be equipped with a dual point (no coaxial) vapor balance system for GDF or tanks constructed after November 9, 2006, and reconstructed GDF.

Vapor Recovery Equipment/Control Device Specifications

Stage II:

Transfer of gasoline and/or E85 into any gasoline vapor laden vehicular fuel tank must be made only if such operation is equipped with a vapor control system that meets the following conditions:

A vapor control system that reduces the total applicable VOC emissions into the outdoor atmosphere by no less than 95 % of the applicable VOC by volume in the air vapor mixture displaced during the transfer of gasoline; and

The system prevents overfilling and spillage.

The system has been California Air Resource Board (CARB) Certified and is operated in accordance with manufacturer's specifications.

Each dispensing device and its nozzle(s) at all GDFs shall be equipped with a check valve in the dispenser nozzle. The nozzle together with its vapor boot fits into the housing in which it is hung on the dispensing device; and the nozzle is properly hung on the dispensing device.

Each nozzle at all GDFs with a vacuum assist vapor control system shall be equipped with a splash guard that prevents spillage during refueling on each nozzle at the facility. The nozzle together with its vapor boot fits into the housing in which it is hung on the dispensing device; and the nozzle's vapor check valve remains in the closed position when the nozzle is properly hung on the dispensing device.

Each dispensing device at a new GDF that dispenses more than one grade of gasoline shall utilize a unihose system if the GDF was constructed or reconstructed on or after June 29, 2003.

Each dispenser shall be equipped with breakaways.

Fuel Throughput Limits:

Pre-Construction Permits (PCPs): PCPs are individual permits and have site specific requirements. Please check your PCP compliance plan for your facility's throughput limit.

GP-004: The current General Permit - 004 for Stage I & II at a GDF requires that annual throughput shall not exceed 6 million gallons of gasoline per consecutive 12-month period year.

GP-004A: The General Permit - 004A allows GDFs with Stage I & II vapor controls with throughput options of 9 million gallons of gasoline per consecutive 12-month period year or 15 million gallons of gasoline per consecutive 12-month period year.

GDFs choosing the 15 million gallons of annual throughput under pending GP-004A must have an additional vapor recovery system (i.e., hydrocarbon vapor membrane), which operates in conjunction with the Stage I & II vapor recovery systems and on-board refueling vapor recovery, capable of reducing emissions and recovering gasoline vapors at greater than or equal to 95% recovery efficiency.

Vapor Recovery	v Equipment	Record	Kee	pina
Tupo: Itoooto:	, – 90.po			P

All vapor recovery equipment located at the facility must be California Air Resource Board (CARB) Certified and operate in accordance with manufacturer's specifications [N.J.A.C 7:27-16.3(e)2]. In order to comply with this requirement you must keep the following records:

- 1. You must have on site the manufacturer's specifications demonstrating vapor control compliance with gasoline transfer requirements for both Stage I and Stage II equipment. (See the previous page for required equipment specifications)
- 2. A Copy of the CARB Executive Order for each Stage II Vapor Recovery system shall be maintained on site for the life of the equipment and made available to the Department upon request. (Executive Orders can be found online at: www.arb.ca.gov/vapor/eo.htm)
- 3. Any of the following changes listed below must be recorded in either a log book or in readily accessible computer memories listing a description of the change and the date on which it occurred. These records shall be made available to the Department upon request:

Replacement of any existing gasoline tank(s),

Addition of any new gasoline tank(s),

Change of material stored

Records of these changes must be maintained on site for a minimum of 5 years.

4. Vapor Recovery Equipment Testing must be conducted within 90 days when any of the above listed changes are conducted (see the following page for testing requirements).

Equipment Change Log for 2016	
Description of Equipment Change	Date of Change
Records of these changes must be maintained on site for a minimum of 5 years.	

	Vapor Recovery Equipment Testing	l
<u>All</u> Gasoline Dispensing	g Facilities (GDF) Shall Conduct And Pas	ss The Following Tests: **
Name of Test	Testing Protocol	Testing frequency
Static Pressure Performance Test	CARB TP-201.3	at least once in every 12 month period *
Pressure Vacuum Valve Test	CARB TP-201.E or GP-004A allows pressure vacuum valve replacement every two years***	at least once in every 12 month period *
Dynamic Backpressure Performance Test	CARB TP-201.4	at least once in every 36 month period *
GDFs Using <u>Vacuum</u>	n Assist Systems Shall Conduct And Pas	s An Additional Test: **
Air to Liquid Volume Ratio Test	CARB TP-201.5	at least once in every 12 month period *

Vapor Recovery Equipment Testing Log

All vapor recovery equipment located at the facility must be tested for compliance with California Air Resource Board (CARB) performance standards and specifications. The facility must maintain test results, which include date of the test, the time the test was conducted and the results. All records, including test results, must be maintained on site for at least three to five years (Read your Permit) and made available to the department upon request.

Name of Test	Date of Test	Time of Test	Result of Test (Pass / Fail)

Important Notes:

- * All vapor recovery equipment must be tested within 90 days of the following changes:
 - installation of Gasoline Stage II Vapor Recovery System;
 - replacement of any existing gasoline tank(s);
 - addition of any new gasoline tank(s);
 - · replacement of any underground vapor return lines; or
 - change of material stored from diesel or kerosene to gasoline.
- ** Upon failure of the test the Permitee shall repair and retest any vapor control system within 14 days of failure. Upon failure of the retest the Permitee shall notify the Department in writing within 72 hours of the failure to NJDEP.
- *** Refer to your air permit for requirements.

Fueling Stations Record Keeping

Vapor and Liquid Leaks and Equipment Repair Record Keeping

Inspections: The NJDEP requires inspection of your dispensing equipment daily, such as: pumps, nozzles, bellows, hoses, breakaways, and swivels. Record the results if a leak was detected or no leak was detected. If a vapor or liquid leak is detected the leaking equipment must be taken out of service until the necessary repairs are completed. Be sure to record the results of the inspection on the calendar and describe and any remedial action taken to repair the leaks. Indicate the date repaired and equipment repaired. All records must be maintained on site for a minimum of 5 years and made available to the department upon request.

			D	aily	Va	por	· & I	Liqu	uid	Lea	k Ir	nsp	ecti	on	Log	g of	Fu	el D	isp	ens	sing	j Ed	quip	me	ent						
		If	a vaj	or or	liqui	d leak	c is de										or Ye					y rep	airs aı	e con	nplete	ed.					
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Pumps	Ν	Ν	Ν	Ν	Ν	Ν	Ν	Ν	Ν																						
Nozzles	Ν	Ν	Ν	Ν	Ν	Ν	Ν	Ν	Υ																						
Bellows	Ν	Ν	Ν	Ν	Ν	Ν	Ν	Ν	Ν									~	\sim	0		9									
Hoses	Ν	Ν	Ν	Ν	Ν	Υ	Ν	Ν	Ν							6	6			ľ											
Breakaways	Ν	Ν	Ν	Ν	Ν	Ν	Ν	Ν	Ν							5	0														
Swivels	Ν	Ν	Ν	Ν	Ν	Ν	Ν	Ν	Ν								1														


Equipment Ma	intenance Log	
Equipment Repair Description		Date of Completed Repair
Tear on hose located on Pump 2, Replaced hose		1/6/16
Nozzle malfunction, replaced nozzle		1/9/16
	Sall	

Fuel Dispensing, Spill Basins, and Spill Containment Equipment Record Keeping

Fuel Dispensing Logs: The NJDEP requires gas stations to keep a log of the fuel dispensed on a monthly basis and to calculate how much fuel was dispensed in the last 12 months. Below is a sample of how to complete the log:

Fuel Dispensing Throughput 12 Month Total Enter the running total from last month. 12 Month Total 920,000 From Last Month Enter the fuel flow totalizer amounts Subtract Fuel Flow during this same **Totalizer Amounts** -65,000 month last year, from from January 2015 last year's records. Subtract that amount. 855,000 Subtotal = Add the fuel flow total Add Fuel Flow from all pumps for the +60,000**Totalizer Amounts** current month. from January 2016 This is your 12 month running total of the 915,000 12 Month Total = Fuel Flow Totalizers.

Spill Catchment Basin Inspection Log: The NJDEP requires that spill catchment basins be inspected before & after fuel delivery. Additionally, Stage I vapor recovery equipment must be operating properly. Use the log below to show compliance with this regulation.



Spill Basin & Stage I Inspection Log

After inspection of catchment basin, check-off the box if it is clean and clear of fuel, water or debris.

After inspection of Stage I vapor recovery equipment, check-off the box if the equipment is working properly.

Write the date of delivery. Do not accept fuel deliveries if the equipment fails your inspection.

Spill Containment Equipment Inspection Log:

The NJDEP requires spill containment equipment to be inspected every 30 days. Use the log on the right to record if any repairs are needed.

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Contain Equipme			ate of ection	Are Repairs Required?
Catchment Bas	sin			•
Dispenser Sun	nps		A	•
Piping/Turbine	Sumps	†		4
10	Place	e the date	of inspect	ion.

If there were any cracks, holes, loose fittings or any other deficiency write "Yes" in the box. If no repairs required write "No." Describe any repair down below in the Equipment Maintenance Log.

Fuel Dispensing Throughput 12 Month Total 12 Month Total From Last Month Subtract Fuel Flow Totalizer Amounts from January 2015 Subtotal = Add Fuel Flow Totalizer Amounts from January 2016 + 12 Month Total =

Spill Basin & Stage I Inspection Log

Inspections must be conducted before & after every delivery. Fuel delivery cannot be accepted if Stage I vapor recovery equipment is not working properly or if the spill basin contains fuel water or debris.

basin contai	ns fuel, water or de	ebris.
Date of Delivery	Spill Basin Inspected	Stage I Inspected
	ļ	

Reminder. Have a Release Response Plan (RRP) posted at the facility. RRP should have Emergency telephone numbers such as: the local Fire Department; Health Department; DEP Hot Line 1-877-WARNDEP (1-877-927-6337); person responsible for the operation of the UST facility; telephone number for any contractor retained to respond to emergencies; and the procedures to be followed in the event of an emergency.

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Containment Equipment	Date of Inspection	Are Repairs Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

															_																
				Dail	y Va	apo	r &	Liq	uid	Le	ak I	nsp	ect	tion	Lo	g o	fFι	ıel	Dis	pen	sin	g E	qui	pm	ent						
																				etecte											
				apor o			ak is o																pairs a								
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Pumps																															
Nozzles																															
Bellows																															
Hoses																															
Breakaways																															
Swivels																															

Equipment Mainte	nance Log
Equipment Repair Description	Date of Completed Repair



Reminder Community Right to Know Due March 1: For webinar training visit http://www.nj.gov/dep/opppc/

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps	For CRTK Webinar Training visit http://www.nj.gov/dep/ opppc/	•			Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
3	4	5	6	7	8	9
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
10	11	12	13	14	15	16
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
17	18	19	20	21	22	23
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
24 Inspected fuel flow totalizer on each pump	25 Inspected fuel flow	26 Inspected fuel flow	27 Inspected fuel flow	28 Inspected fuel flow	29 Inspected fuel flow	30 Inspected fuel flow
31 Inspected & recorded monthly throughput from all fuel flow totalizers	totalizer on each pump	totalizer on each pump	totalizer on each pump	totalizer on each pump	totalizer on each pump	totalizer on each pump

Fuel Dispensing 12 Month	
12 Month Total From Last Month	
Subtract Fuel Flow Totalizer Amounts from February 2015	_
Subtotal =	
Add Fuel Flow Totalizer Amounts from February 2016	+
12 Month Total =	

Spill Basin & Stage I Inspection Log

Inspections must be conducted before & after every delivery.
Fuel delivery cannot be accepted if Stage I vapor recovery equipment is not working properly or if the spill basin contains fuel water or debris

co	ontains fuel, water or de	bris.
Date of	Spill Basin	Stage I
Delivery	Inspected	Inspected

Reminder. Community Right to Know Survey (CRTK) must be completed and submitted to the NJDEP, County, Municipality, Fire Dept., and Police Dept. by March 1st. Keep a copy of your CRTK Surveys for 5 years.

See the CRTK Survey online example on the last 2 pages of this calendar.

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Containment Equipment	Date of Inspection	Are Repairs Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

			D	ailv	/ Va	po	r &	Liq	uid	Lea	ak l	nsp	ect	ion	Lo	a of	Fu	el [Disi	en	sino	зΕ	qui	ome	ent					
		I						Ma	ark "Ni ed the	" for I	No Le	eakD	etecte	ed or I	vlark	"Y" f	or Ye	s Lea	ak De	tected	۱ `					ed.				
	1	2	3	4	5	6	7	8	9	10				14			17										27	28	29	
Pumps																														
Nozzles																														
Bellows																														
Hoses																														
Breakaways																														
Swivels																														

Equipment Mainte	enance Log
Equipment Repair Description	Date of Completed Repair



February 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	1	2	3	4	5	6
	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
7	8	9	10	11	12	13
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
14	15	16	17	18	19	20
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
21	22	23	24	25	26	27
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
28 Inspected fuel flow totalizer on each pump	29 Inspected & recorded monthly throughput from all fuel flow totalizers			For CRTK Webinar Training visit http://www.nj.gov/dep/ opppc/		Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps

Fuel Dispensing 12 Month	
12 Month Total From Last Month	
Subtract Fuel Flow Totalizer Amounts from March 2015	_
Subtotal =	
Add Fuel Flow Totalizer Amounts from March 2016	+
12 Month Total =	

Spill Basin & Stage I Inspection Log

Inspections must be conducted before & after every delivery.
Fuel delivery cannot be accepted if Stage I vapor recovery equipment is not working properly or if the spill basin contains fuel water or debris

co	ontains fuel, water or de	bris.
Date of	Spill Basin	Stage I
Delivery	Inspected	Inspected

Reminder. All vapor recovery equipment located at the facility must be California Air Resource Board (CARB) Certified and operate in accordance with manufacturer's specifications. Copy of the CARB Executive Order for each Stage II Vapor Recovery system shall be maintained on site for the life of the equipment and made available to the Department upon request. The Certified document can be found at: www.arb.ca.gov/vapor/eo.htm

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Containment	Date of	Are Repairs
Equipment	Inspection	Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

			D	aily	, Va	po	r &	Liq	uid	Lea	ık lı	nsp	ect	ion	Loc	g of	f Fu	el [Disp	oen	sin	q E	qui	pme	ent						
				-		-		Ma	rk "N	" for I	No Le	eakD	etecte	ed or I	Mark '	- "Y" f	or Ye	s Lea	ak De	tectec	i	_									
		1		î —			k is d	etecte																							
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Pumps																															
Nozzles																															
Bellows																															
Hoses																															Ī
Breakaways																															
Swivels																															

Equipment Maintenance Log	
Equipment Repair Description	Date of Completed Repair



March 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		1	2	3	4	5
		Inspected fuel flow totalizer on each pump *CRTK Survey Due*	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
6	7	8	9	10	11	12
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
13	14	15	16	17	18	19
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
20	21	22	23	24	25	26
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
27 Inspected fuel flow totalizer on each pump	28 Inspected fuel flow totalizer on each pump	29 Inspected fuel flow totalizer on each pump	30 Inspected fuel flow totalizer on each pump	31 Inspected & recorded monthly throughput from all fuel flow totalizers		Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps

Fuel Dispensing Throughput 12 Month Total 12 Month Total From Last Month Subtract Fuel Flow Totalizer Amounts from April 2015 Subtotal = Add Fuel Flow Totalizer Amounts from April 2016 + 12 Month Total =

Spill Basin & Stage I Inspection Log

Inspections must be conducted before & after every delivery. Fuel delivery cannot be accepted if Stage I vapor recovery equipment is not working properly or if the spill

basin conta	ins fuel, water or de	ebris.
Date of Delivery	Spill Basin Inspected	Stage I Inspected

Reminder. Owners and operators who fail to register their underground storage tank systems and obtain a valid registration certificate will be subject to the establishment of a delivery ban or a cease use action for their tanks. Owners and operators who fail to comply with operational requirements found in N.J.A.C. 7:14B-1 et seq. will be subject to substantial fines and penalties. Call the Registration and Billing Unit for additional info at 609-292-2817.

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Containment	Date of	Are Repairs
Equipment	Inspection	Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

			D	aily	y Va	ipo	r &	Liq	uid	Lea	ak I	nsp	ect	ion	Lo	g of	Fu	el [Disp	oen	sing	g E	qui	pme	ent						_
				•		•		-	rk "N			-				_			-				•	•							
		I	f a va	por o	r liqu	id lea	ık is d	etecte	ed the	leakii	ng eq	uipme	ent m	ust be	take	n out	of ser	vice ı	until t	he ne	cessa	ry rep	airs a	are co	mplet	ed.					
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
Pumps																															
Nozzles																															
Bellows																															
Hoses																															
Breakaways																															
Swivels																															

Equipment Maintenan	Equipment Maintenance Log							
Equipment Repair Description	Date of Completed Repair							



April 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps		Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
3	4	5	6	7	8	9
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
10	11	12	13	14	15	16
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
17	18	19	20	21	22	23
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
24 Inspected fuel flow totalizer on each pump	25 Inspected fuel flow totalizer on each pump	26 Inspected fuel flow totalizer on each pump	27 Inspected fuel flow totalizer on each pump	28 Inspected fuel flow totalizer on each pump	29 Inspected fuel flow totalizer on each pump	30 Inspected & recorded monthly throughput from all fuel flow totalizers

Fuel Dispensing 12 Month	
12 Month Total From Last Month	
Subtract Fuel Flow Totalizer Amounts from May 2015	_
Subtotal =	
Add Fuel Flow Totalizer Amounts from May 2016	+
12 Month Total =	

Spill Basin & Stage I Inspection Log
Inspections must be conducted before & after every delivery.
Fuel delivery cannot be accepted if Stage I vapor recovery equipment is not working properly or if the spill basin

co	ontains fuel, water or de	bris.
Date of Delivery	Spill Basin Inspected	Stage I Inspected
20	5,50.00	5536164

Reminder: If you plan to close an underground storage tank system use NJDEP Online at: www.njdeponline.com for submittal of the Notice of Intent to Close an UST System. Additionally, an UST Facility Certification Questionnaire must be completed and submitted to the Department within seven days of the completion of all closure activities.

Also, be sure to have readily available a copy of your air certificate to operate at your facility for an inspection.

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

= -	_	·
Spill Containment Equipment	Date of Inspection	Are Repairs Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

			D	ailv	ı Va	no	r &	Lia	uid	Lea	ak l	nsp	ect	ion	Lo	a of	Fu	el [Disr	en	sind	a E	auii	ome	nt						
			_	ر	,		-	_				-				_			_			<i>9</i> –	4 41.1	••••	•						
		Ţ-	fava	nor o	r lian	id lea	k is d					eak Do uipmo										rv ren	aire a	re coi	nnlet	ed					
	1	2	3	4	5	6	7	8	9	10	11			14					19				23				27	28	29	30	31
Pumps																															
Nozzles																															
Bellows																															
Hoses																															
Breakaways																															
Swivels																															

Equipment Maint	Equipment Maintenance Log										
Equipment Repair Description	Date of Completed Repair										



May 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2	3	4	5	6	7
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
8	9	10	11	12	13	14
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
15	16	17	18	19	20	21
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
22	23	24	25	26	27	28
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
29 Inspected fuel flow totalizer on each pump	30 Inspected fuel flow totalizer on each pump	31 Inspected & recorded monthly throughput from all fuel flow totalizers		Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps		

Fuel Dispensing 12 Month	
12 Month Total From Last Month	
Subtract Fuel Flow Totalizer Amounts from June 2015	_
Subtotal =	
Add Fuel Flow Totalizer Amounts from June 2016	+
12 Month Total =	

Spill Basin & Stage I Inspection Log
Inspections must be conducted before & after every delivery.
Fuel delivery cannot be accepted if Stage I vapor recovery equipment is not working properly or if the spill basin

co	ontains fuel, water or de	bris.
Date of	Spill Basin	Stage I
Delivery	Inspected	Inspected

Reminder: A suspected release must be investigated and confirmed or disproved within seven days of discovering the suspected release. If you confirm a release, immediately call the appropriate local health agency and the Department's Environmental Action Hot Line toll free at: (877) WARN - DEP (877) 927-6337

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Containment Equipment	Date of Inspection	Are Repairs Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

			D	aily	v Va	poi	r &	Liq	uid	Lea	ık lı	nsp	ect	ion	Log	g of	Fu	el [Disp	oen:	sing	g E	qui	ome	ent						
			c		1.															tected					1	,					
	1	2	1 a va	por o	11qu	6 6	K 1S G	etecte 8	g the	10	ng equ			14				vice i		_	essai 21	ry rep 22	airs a	re co			27	28	29	30	
Pumps																															
Nozzles																															
Bellows																															
Hoses																															
Breakaways																															
Swivels																															

Equipment Maint	Equipment Maintenance Log									
Equipment Repair Description	Date of Completed Repair									



June 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
5 Inspected fuel flow totalizer on each pump	6 Inspected fuel flow totalizer on each pump	7 Inspected fuel flow totalizer on each pump	8 Inspected fuel flow totalizer on each pump	9 Inspected fuel flow totalizer on each pump	10 Inspected fuel flow totalizer on each pump	11 Inspected fuel flow totalizer on each pump
12 Inspected fuel flow	13 Inspected fuel flow	14 Inspected fuel flow	15 Inspected fuel flow	16 Inspected fuel flow	17 Inspected fuel flow	18
totalizer on each pump	totalizer on each pump	totalizer on each pump				
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
26 Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	28 Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	30 Inspected & recorded monthly throughput from all fuel flow totalizers	Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps	

g Throughput n Total
_
+

Spill Basin & Stage I Inspection Log
Inspections must be conducted before & after every
delivery. Fuel delivery cannot be accepted if Stage I vapor
recovery equipment is not working properly or if the spill

basin contai	ins fuel, water or de	ebris.
Date of Delivery	Spill Basin Inspected	Stage I Inspected

Reminder: Do you have an environmental clean-up? All site remediation parties are required to hire a licensed site remediation professional (LSRP) and to then proceed with the remediation without Department pre-approval..

For additional information visit http://www.nj.gov/dep/srp/srra/lsrp/

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, and loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Containment Equipment	Date of Inspection	Are Repairs Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

			D	aily	/ Va	po	r &	Liq	uid	Lea	ak lı	nsp	ect	ion	Lo	g of	Fu	el [Disp	en	sin	g E	quip	ome	ent						
		τ.	c		1:i	: 4 1	1. :								Mark								.:		14	1					
	1	2	3	4	5 11qu	6	7	etecte 8	9		11							18			21	22	23			26	27	28	29	30	31
Pumps																															
Nozzles																															
Bellows																															
Hoses																															
Breakaways																															
Swivels																															

Equipment Maint	Equipment Maintenance Log									
Equipment Repair Description	Date of Completed Repair									



July 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps			Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
3	4	5	6	7	8	9
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
10	11	12	13	14	15	16
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
17	18	19	20	21	22	23
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
24 Inspected fuel flow totalizer on each	25	26	27	28	29	30
31 Inspected & recorded monthly throughput from all fuel flow totalizers	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump

Fuel Dispensin 12 Mont		Inspections must be delivery. Fuel delivery recovery equipment is	cannot be accepted	& after every I if Stage I vapor rly or if the spill
12 Month Total From Last Month		Date of Delivery	Spill Basin Inspected	Stage I Inspected
Subtract Fuel Flow Totalizer Amounts from August 2015	_			
Subtotal =				
Add Fuel Flow Totalizer Amounts from August 2016	+			
12 Month Total =				
	ı		1	

Reminder: The NJDEP is required to be notified of the intent to close the underground storage tank at least 14 calendar days prior to the anticipated closure date by logging on to the NJDEP Online service via either the myNewJersey Portal at www.nj.gov or directly from www.njdeponline.com, selecting the *Underground Storage Tank Notice Of Intent To Close* in the Service Selection section of the My Workspace screen, then completing and submitting the form.

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Containment Equipment	Date of Inspection	Are Repairs Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

			D	aily	/ Va	po	r &	Liq	uid	Lea	ak lı	nsp	ect	ion	Lo	g of	Fu	el [Disp	oen	sing	g E	qui	ome	ent						
		ī		_		-		Ма	rk "N ed the	" for I	No Le	eakD	etecte	ed or I	Vlark	"Y" f	or Ye	s Lea	ak De	tected			-			od					
	1	2	3	4	5	6	7	8	9	10	11	12		14			17						23				27	28	29	30	3
Pumps																															
Nozzles																															
Bellows																															
Hoses																															
Breakaways																															
Swivels																															

Spill Basin & Stage I Inspection Log

Equipment Maintenance Log	
Equipment Repair Description	Date of Completed Repair



August 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	1	2	3	4	5	6
	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
7	8	9	10	11	12	13
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
14	15	16	17	18	19	20
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
21	22	23	24	25	26	27
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
28 Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	30 Inspected fuel flow totalizer on each pump	31 Inspected & recorded monthly throughput from all fuel flow totalizers	Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps		

Fuel Di		sing onth			put			deli	Inspec very.	tions i Fuel d equipi	must t leliver ment i	e conc y canr s not v	ducted ot be vorkin	nspec l before accepte ag prop ater or	e & af ed if S erly o	ter eve stage I r if the	l vapo		Pred may mod	constr need lificat	er: Be ruction to ap	n Peri ply fo o you	mit (F or a n ır sys	PCP) e ew G tem.	every P or l Tank	five y PCP i regis	years f ther tratio	Also e wer on sho	, a fac e any uld be	ility	
12 Month T From Last M								Da	te of	Deli	very		pill B nspe	asin cted		Stag		ı	(US	T) re	and up gistrat nit ca	ion e	very :	3 year	rs. Fo	r Tan	k Re	gistrat			
Subtract Fuel Totalizer Amour September 2	nts fro		_																In	specti	Con	ust b	e con	ducte	d eve	ry 30	days	to ch	eck fo	r crac	ks,
Subtotal	=																		1	epair	is cor	nduct	ed a t		ess te	st is r	equir	ed wi	thin 3	0 day	s.
Add Fuel F	ow																		S		onta uipm		ent			ate o oecti			Are I Req	Repa uirec	
Totalizer Amour September 2			+																Cat	chme	ent B	asin									
12 Month To	tal =																		Dis	pens	er Su	ımps	3								
																			Pipi	ng/T	urbir	ne Su	ımps	•							
								_										_													
			f a va	por o	r liqui	id leal	k is d	Mar letecte	rk "N' d the	" for l	No Lo	eak Douipmo	etecte	ed or N	/lark ' taken	'Y" fo	or Ye	es Le	Disp ak De	tected	l cessar	y rep	airs a	re coi	mplet						
Pumps	1	I 2		•				Mar	rk "N'	" for l	No Lo	eak Douipmo	etecte	ed or N	/lark ' taken	'Y" fo	or Ye	es Le	ak De	tected	l cessar		airs a	re coi			27	28	29	30	
Pumps Nozzles	1		f a va	por o	r liqui	id leal	k is d	Mar letecte	rk "N' d the	" for l	No Lo	eak Douipmo	etecte	ed or N	/lark ' taken	'Y" fo	or Ye	es Le	ak De until t	tected	l cessar	y rep	airs a	re coi	mplet		27	28	29	30	
	1		f a va	por o	r liqui	id leal	k is d	Mar letecte	rk "N' d the	" for l	No Lo	eak Douipmo	etecte	ed or N	/lark ' taken	'Y" fo	or Ye	es Le	ak De until t	tected	l cessar	y rep	airs a	re coi	mplet		27	28	29	30	
Nozzles	1		f a va	por o	r liqui	id leal	k is d	Mar letecte	rk "N' d the	" for l	No Lo	eak Douipmo	etecte	ed or N	/lark ' taken	'Y" fo	or Ye	es Le	ak De until t	tected	l cessar	y rep	airs a	re coi	mplet		27	28	29	30	
Nozzles Bellows	1		f a va	por o	r liqui	id leal	k is d	Mar letecte	rk "N' d the	" for l	No Lo	eak Douipmo	etecte	ed or N	/lark ' taken	'Y" fo	or Ye	es Le	ak De until t	tected	l cessar	y rep	airs a	re coi	mplet		27	28	29	30	
Nozzles Bellows Hoses	1		f a va	por o	r liqui	id leal	k is d	Mar letecte	rk "N' d the	" for l	No Lo	eak Douipmo	etecte	ed or N	/lark ' taken	'Y" fo	or Ye	es Le	ak De until t	tected	l cessar	y rep	airs a	re coi	mplet		27	28	29	30	
Nozzles Bellows Hoses Breakaways	1		f a va	por o	r liqui	id leal	k is d	Mar letecte	rk "N' d the	" for l	No Long eq	eak Duipme	etecteent mu 13	ed or Nust be	/lark 'taken	'Y" for out of 16	or Ye	es Le	ak De until t	tected	l cessar	y rep	airs a	re coi	mplet		27	28	29	30	
Nozzles Bellows Hoses Breakaways		2	f a va	4 4	r liqui	id leal	k is d	Mar letecte	rk "N' d the	" for l	No Long eq	eak Duipme	etecteent mu 13	ed or N	/lark 'taken	'Y" for out of 16	or Ye	es Le	ak De until t	tected	l cessar	y rep	airs a	re coi 24	mplet 25	26		28			
Nozzles Bellows Hoses Breakaways Swivels		2	f a va	4 4	r liqui	id leal	k is d	Mar letecte	rk "N' d the	" for l	No Long eq	eak Duipme	etecteent mu 13	ed or Nust be	/lark 'taken	'Y" for out of 16	or Ye	es Le	ak De until t	ected	l cessar	y rep	airs a	re coi 24	mplet 25	26					
Nozzles Bellows Hoses Breakaways Swivels		2	f a va	4 4	r liqui	id leal	k is d	Mar letecte	rk "N' d the	" for l	No Long eq	eak Duipme	etecteent mu 13	ed or Nust be	/lark 'taken	'Y" for out of 16	or Ye	es Le	ak De until t	ected	l cessar	y rep	airs a	re coi 24	mplet 25	26					



September 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
4	5	6	7	8	9	10
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump					
11	12	13	14	15	16	17
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump					
18	19	20	21	22	23	24
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump					
25 Inspected fuel flow totalizer on each pump	26 Inspected fuel flow totalizer on each pump	27 Inspected fuel flow totalizer on each pump	28 Inspected fuel flow totalizer on each pump	29 Inspected fuel flow totalizer on each pump	30 Inspected & recorded monthly throughput from all fuel flow totalizers	Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps

Fuel Dispensing 12 Month	
12 Month Total From Last Month	
Subtract Fuel Flow Totalizer Amounts from October 2015	_
Subtotal =	
Add Fuel Flow Totalizer Amounts from October 2016	+
12 Month Total =	

Spill Basin & Stage I Inspection Log
Inspections must be conducted before & after every
delivery. Fuel delivery cannot be accepted if Stage I vapor
recovery equipment is not working properly or if the spill
basin contains fuel, water or debris.

	ns fuel, water or de	ebris.
Date of Delivery	Spill Basin Inspected	Stage I Inspected

Reminder: Do not accept any product delivery to any tank if the spill catchment basin contains product, water or debris.

Be sure that you have one of the corrosion protection methods in place to protect your tanks: Non-metal tank/piping, Galvanic (STIp3), or Impressed Current

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Containment Equipment	Date of Inspection	Are Repairs Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

			D	aily	, Va	ро	r &	Liq	uid	Lea	ak lı	nsp	ect	ion	Log	g of	f Fu	el [Disp	en	sing	g E	qui	ome	ent						
						•		Ма	rk "N	" for I	No Le	eak D	etecte	ed or I	Mark	"Y" f	or Ye	s Lea	k Det	ected	,										
				por o	r liqu		k is d			leakii																		,			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Pumps																															
Nozzles																															
Bellows																															
Hoses																															
Breakaways																															
Swivels																															

Equipment Maint	enance Log
Equipment Repair Description	Date of Completed Repair



October 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps			Inspected fuel flow totalizer on each pump
2	3	4	5	6	7	8
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
9	10	11	12	13	14	15
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
16	17	18	19	20	21	22
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
23 Inspected fuel flow totalizer on each pump	24 Inspected fuel flow totalizer on each pump	25 Inspected fuel flow	26 Inspected fuel flow	27 Inspected fuel flow	28 Inspected fuel flow	29 Inspected fuel flow
30 Inspected fuel flow totalizer on each pump	31 Inspected & recorded monthly throughput from all fuel flow totalizers	totalizer on each pump	totalizer on each pump	totalizer on each pump	totalizer on each pump	totalizer on each pump

g Throughput n Total
_
+

Spill Basin & Stage I Inspection Log
Inspections must be conducted before & after every
delivery. Fuel delivery cannot be accepted if Stage I vapor
recovery equipment is not working properly or if the spill
basin contains fuel, water or debris.

	ils fuel, water of u	20118.
Date of Delivery	Spill Basin Inspected	Stage I Inspected

Reminder: Be sure to do your vapor recovery testing for your equipment.

- Static Pressure Performance Test
- 2. Pressure Vacuum Valve Test Dynamic
- 3. Backpressure Performance Test
- Air to liquid Volume Ratio Test (Vacuum assist systems

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Containment Equipment	Date of Inspection	Are Repairs Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

	Daily Vapor & Liquid Leak Inspection Log of Fuel Dispensing Equipment																							
	Mark "N" for No Leak Detected or Mark "Y" for Yes Leak Detected If a vapor or liquid leak is detected the leaking equipment must be taken out of service until the necessary repairs are completed.																							
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30																							
Pumps																								
Nozzles																								
Bellows																								
Hoses																								
Breakaways																								
Swivels																								

Equipment Maint	enance Log
Equipment Repair Description	Date of Completed Repair



November 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		1	2	3	4	5
		Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
6	7	8	9	10	11	12
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
13	14	15	16	17	18	19
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
20	21	22	23	24	25	26
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
27 Inspected fuel flow totalizer on each pump	28 Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	30 Inspected & recorded monthly throughput from all fuel flow totalizers			Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps

	ing Throughput nth Total
12 Month Total From Last Month	
Subtract Fuel Flow Totalizer Amounts from December 2015	_
Subtotal =	
Add Fuel Flow Totalizer Amounts from December 2016	+
12 Month Total =	

Spill Basin & Stage I Inspection Log

Inspections must be conducted before & after every delivery. Fuel delivery cannot be accepted if Stage I vapor recovery equipment is not working properly or if the spill basin contains fuel water or debris.

basin contai	ns fuel, water or de	ebris.
Date of Delivery	Spill Basin Inspected	Stage I Inspected

<u>Reminder</u>. Spill buckets should be kept clean from product, water and debris. Check at least once a month or check before and after a delivery.

Sacrificial anodes (passive) and Impressed current systems test every three years. If you have Rectifier record every 60 days to see if it is function properly.

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Containment Equipment	Date of Inspection	Are Repairs Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

Daily Vapor & Liquid Leak Inspection Log of Fuel Dispensing Equipment

Mark "N" for No Leak Detected or Mark "Y" for Yes Leak Detected

por or liquid leak is detected the leaking equipment must be taken out of service until the necessary repairs are completed.

	1	2	3	4	5	6	7	8	10	11	12	13		16	17	18	20	21	22		25	26	27	28	29	30	31
Pumps																											
Nozzles																											
Bellows																											
Hoses																											
Breakaways																											
Swivels																											

Equipment Maintenance Log								
Equipment Repair Description	Date of Completed Repair							



December 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday		
	Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps			Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump		
4	5	6	7	8	9	10		
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump		
11	12	13	14	15	16	17		
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump		
18	19	20	21	22	23	24		
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump		
25	26	27	28	29	30	31 Inspected		
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	& recorded monthly throughput from all fuel flow totalizers		

Fuel Dispensing Throughput 12 Month Total 12 Month Total From Last Month Subtract Fuel Flow Totalizer Amounts from January 2016 Add Fuel Flow Totalizer Amounts from January 2017 + 12 Month Total =

Spill Basin & Stage I Inspection Log

Inspections must be conducted before & after every delivery. Fuel delivery cannot be accepted if Stage I vapor recovery equipment is not working properly or if the spill basin contains fuel, water or debris.

basin contai	ns fuel, water or de	ebris.
Date of Delivery	Spill Basin Inspected	Stage I Inspected

Reminder. Have a Release Response Plan (RRP) posted at the facility. RRP should have Emergency telephone numbers such as: the local Fire Department; Health Department; DEP Hot Line 1-877-WARNDEP (1-877-927-6337); person responsible for the operation of the UST facility; telephone number for any contractor retained to respond to emergencies; and the procedures to be followed in the event of an emergency.

Spill Containment Equipment Inspection Log

Inspections must be conducted every 30 days to check for cracks, holes, loose fittings or any other deficiency. If a tank or piping repair is conducted a tightness test is required within 30 days.

Spill Containment	Date of	Are Repairs
Equipment	Inspection	Required?
Catchment Basin		
Dispenser Sumps		
Piping/Turbine Sumps		

			D	aily	/ Va	poi	. &	Liq	uid	Lea	ık lı	nsp	ect	ion	Lo	g of	f Fu	el [Disp	en	sing	g E	quip	ome	ent						
								Ma	k "N'	for l	No Le	eak D	etecte	d or N	Mark	"Y" f	or Ye	s Lea	ak Del	ected											
If a vapor or liquid leak is detected the leaking equipment must be taken out of service until the necessary repairs are completed.																															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Pumps																															
Nozzles																															
Bellows																															
Hoses																															
Breakaways																															
Swivels																															

Equipment Maintenance Log									
Equipment Repair Description	Date of Completed Repair								



January 2017

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2	3	4	5	6	7
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
8	9	10	11	12	13	14
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
15	16	17	18	19	20	21
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
22	23	24	25	26	27	28
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump
Inspected fuel flow totalizer on each pump	Inspected fuel flow totalizer on each pump	31 Inspected & recorded monthly throughput from all fuel flow totalizers	Have you checked your Spill Containment: Catchment Basin, Dispenser Sumps, Piping/Turbine Sumps			

Environmental Contact Information

NJ Department of State

Small Business Ombudsman

Business Action Center at (800) 643-6090 http://www.nj.gov/njbusiness/bac/index.shtml

NJ Department of Environmental Protection

Small Business Environmental Assistance Program

Sustainability and Green Energy (609) 633-0631 or (877) 753-1151 (NJ State Only) http://www.nj.gov/dep/aqes/sbap/index.html

NJ Air Permits for Gasoline Station Equipment

Bureau of Air Permits (609) 292-6716 or (800) 441-0065 (NJ State Only) www.nj.gov/dep/aqes/sbap/index.html

Community Right to Know

Bureau of Pollution Prevention & Right to Know (609) 292-6714 www.nj.gov/dep/opppc

Hazardous Waste

EPA RCRA ID : (212) 637-4106 www.nj.gov/dep/dshw/hwr/index.htm

Underground Storage Tanks

Bureau of Underground Storage Tanks (609) 292-8761 www.nj.gov/dep/srp/bust/bust.htm

UST Registration and Billing Unit (609) 292-2817 (609) 292-2827

http://www.nj.gov/dep/srp/forms/ust/ust021b.pdf

UST Contractor Certification (609) 777-1013 http://www.nj.gov/dep/exams/ust.htm

UST Compliance and Enforcement

Northern New Jersey 609-851-7989 Southern New Jersey 609-221-3996 www.nj.gov/dep/enforcement

Wastewater

Contact your local sewer authority.

Septic systems contact your local health department or

NJDEP at (609) 292-0407

www.nj.gov/dep/dwq

Internet Resources

State & Federal Guidance Documents Links

NJ DEP-Underground Storage Tanks - www.nj.gov/dep/srp/bust/bust.htm

The following guidance documents can be found at - http://www.nj.gov/dep/srp/forms/ust/index.html#ust021

UST Substantial Modification Permit application form

<u>UST-021 Form - Financial Responsibility for Regulated Underground Storage Tanks (USTs) Certifications</u>

UST Facility Certification Questionnaire (UST-021)

USEPA-Office of Underground Storage Tanks (OUST) - http://www.epa.gov/swerust1/

 $OUST\ Publications - \underline{www.epa.gov/swerust1/pubs/index.htm}$

California Air Resource Board (CARB) - www.arb.ca.gov/vapor/eo-PhaseII.htm

Professional And Trade Association Links

American Petroleum Institute (API): www.api.org

American Society of Testing and Materials (ASTM): www.astm.org/index.html Fiberglass Tank and Pipe Institute (FTPI): www.fiberglasstankandpipe.com

Fuel Merchants Association of New Jersey: www.fmanj.org NACE International - The Corrosion Society: www.nace.org National Fire Protection Association (NFPA): www.nfpa.org New Jersey Gasoline- C-Store-Automotive Association www.njgca.org Petroleum Equipment Institute (PEI): www.pei.org

Petroleum Equipment Contractors Association

www.peca.net/aboutpeca.htm

Steel Tank Institute (STI): www.steeltank.com Underwriters Laboratories (UL): www.ul.com

Community Right to Know Surveys Go Electronic

The New Jersey Department of Environmental Protection (NJDEP), Community Right to Know (CRTK) program has instituted Mandatory Electronic Submittal of CRTK Surveys. (CRTK Surveys are due March 1 of every year). Therefore, you will no longer be receiving a paper copy of the Survey to complete.

STEP 1: Requesting Access (New Users - are users who do not already have a NJDEP Online account or ID)

- 1. Go to http://www.njdeponline.com and select the button labeled "NEW USERS Request Access to NJDEP Online for Registered Services." This will open a new screen entitled "Request Access to NJDEP Online."
- 2. Fill in all fields.
- 3. Click on the "Request" button.

STEP 2: Link Your NJDEP Online Services to Your myNewJersey Account

Fill out Section B with your desired 'Log On ID,' 'Password,' 'Security Question,' and 'Security Answer' and click "Create this new myNewJersey Account and Link NJDEP Online To It." (Remember to write down this information!)

STEP 3: Use NJDEP Online

- Enter your contact information. Click on Add Contact Number and add at least one contact number and click "Continue."
- 2. The next screen is the "Request your Certification PIN." You do not need a Certification PIN to complete the Right to Know Survey. Click on "Complete Setup."
- 3. Select "Community Right to Survey" from the My Services screen and click "Ok."
- 4. To add your facility, click on "Add Facility" and in the box next to "Facility ID" enter your 11 digit Facility ID and click "Search." Once your facility appears click inside the small box then click on "Add Selected Facility."

STEP 4: Accessing the Community Right to Know Survey

- Make sure you are on the "My Workspace page."
- 2. Under "Service Selection" click on "Community Right to Know Survey"
- 3. The Facility Selection will appear. Click on the "Yellow paper icon" located on the right-hand side under "Access Facility."
- 4. Click "Continue"
- 5. Then go through the Five steps to submit your survey.

You are now ready to complete and submit your Community Right to Know Survey for the 2014 reporting year. The Community Right to Know submittal function for Reporting Year 2015 will be available the first week of January 2016.

Note: After completing these steps, you will be able to access NJDEP Online by visiting http://www.njdeponline.com and clicking "Log in to NJDEP Online" within the blue box at the top right of the screen. If you need further assistance, please contact us at the link labeled 'Address your comments and suggestions to us' located at the bottom of http://www.njdeponline.com.

Information or assistance is available by calling (609) 292-6714 or (609) 777-0518 from 8:00a.m.-5:00p.m. You can also visit our website at http://www.nj.gov/dep/opppc/.

The following pages are online examples of the "Company Information" screen and the "Submittal List" screen:



Example:



Gas Station



These 11 digits are your CRTK Facility ID Number which is assigned to you

Name

COMPANY INFO SUBSTANCE LIST VERIFY DATA SUBMIT SURVEY Go to Facility List

Facility ID: 12345600000Facility Nan

which is assigned to you Save THIS Page PART 1 - COMPANY/FACILITY INFORMATION If you are REQUEST CHANG 1. A Gasoline Station with ailing Address **Facility Location** more than 10,000lbs Company Name 1 $(1428.57 gallons)\ of$ Street gasoline, diesel, kerosene or Name 2 other substances in your This information is City facility on any given day, Street/PO Box provided by the system. check 'yes' to #1 and #2. Apt./Suite No. State And must fill out Part 2 City 2. Gasoline Stations with County Less than 10,000Ibs in your Zip Code - 0000 State Company Contact facility on any given day, check 'yes' to #1, 'No' to #2 Does this facility Produce, Store or Use Environmental Hazardous Substances on Table A in a pure or mixture state: 3. Facilities without gasoline, diesel, kerosene or Number of employees at this facility * You must check "YES" if you 1. in any quantity? * No other substances in your have Environmental Hazardous Number of facilities in New Jersey facility check 'No' to #1 and Substances in any quantity at 2. above thresholds? Yes your facility. Federal EIN Click here for a list of facilities under this FEIN (Do NOT call us for 221234567 this number. We cannot give it to you on the phone.) Facility Status Active Your R&D exemption information for this facility, is diplayed here Note: If you select "out of business" this survey must be completed for the period of time that the business was active. Please specify, Briefly describe the current operations or business conducted at this facility: 1. Fueling Station **Fueling Station** 2. Fueling Station with vehicle repair 3. Fueling station with convenience store 4. Vehicle repair only, Emergency Contact Name Office Contact Name no fueling 5. Convenience store only, no Title fueling 6..Other, please describe Emergency Contact Phone Office Contact Phone Facility Phone e-mail Address Union Name/Local # email

Save THIS Page

Phone



COMMUNITY RIGHT TO KNOW SURVEY





Go to Facility List Facility ID: Facility Name:

Validate Chemical Save to File Add Substance by PART 2- CHEMICAL INVENTORY REPORT CAS# Delete Substance Hazards **Substance Description Inventory Information** PROPANE Substance **GASOLINE** Name Be sure to add other substances such as kerosene, motor oil, Substance diesel used petroleum oil, 0957 ✓ Container Type | TB - Below ground tank. Fire Number propane and lead batteries to the list. The threshold for propane Sudden and lead is 500lbs. The threshold Container Must complete if 'Other' selected above Release for gasoline is 10,000Lbs CAS Number 8006-61-9 of Description (1428.28 gallons) in the facility Pressure on any given time. Inventory (lbs) 19-100,000 lbs to 499,999 lbs Max. Daily DOT Number Go to gallon & 1203 Reactive 18-50,000 lbs to 99,999 lbs cubic feet <u>Acute</u> Please note: There are new Pure check one Health ✓ Days on Site 365 reporting range codes Mixture 💿 Effects Reminder: Gasoline Inventory Range 0 Solid Chronic Codes (on any given day) Storage If you have more than 25,000Lbs check one Liquid • 01 - Ambient Pressure v Health Pressure (3571.42 gallons) and less than **Effects** Gas 49,999Lbs (7,141.26 gallons) of Gasoline, use Range Code 17
If you have more than 49,999Lbs Storage None per **EPCRA Only** 04 - Ambient Temperature MSDS <u>Temperature</u> (7,141.26 gallons) and less than 100,000lbs (14,285.57 gallons) of In underground storage tank Location(s) Gasoline, use Range Code 18 If you have more than than 100,000 Validate Chemical Save to File Delete Substance lbs (14,285.57 gallons) and less than 499,999 (71,413.85) use Range Code